




Shop 60, Waverley Plaza P.O. Box 31635  
1116 Hertzog Street Totiusdal  
Villieria, Pretoria 0134

Tel: (012) 332 4616  
Fax: (012) 332 4615  
Email: rox@lantic.net

DUCAMUS SYSTEM TECHNOLOGIES (PTY) LTD T/A

# COMPUTERS

TT-VG4000BWS	Thermaltake Xaser VI VG4000 Series - Black SECC						R 3 498.60
TT-VG4000SVA	Thermaltake Xaser VI VG4000 Series - Silver Aluminum						R 3 498.60
TT-VG400LBWS	Thermaltake Xaser VI VG4000 Series W/LCS Build in						R 5 598.60
TT-VG400LSVA	Thermaltake Xaser VI VG4000 Series W/LCS Build-in						R 6 998.60
TT-VH6000BWS	Thermaltake Armor+ VH6000 Series - Black						R 3 218.60
TT-VH6000SVA	Thermaltake Armor+ VH6000 Series - Silver						R 3 658.60
TT-VH600LBWS	Thermaltake Armor+ VH6000 Series W/LCS Build in						R 5 598.60
TT-VH600LSVA	Thermaltake Armor+ VH6000 Series W/LCS Build in						R 5 598.60
TT-VH6001BWS	Thermaltake Armor+ WITH Nvidia ESA Certified -Compliant with Nvidia nForce 780a SLI/ nForce 790i SLI/nForce 780i SLI/ nForce 680i SLI/ nForce 680i LT SLI based MB.						R 3 638.60
TT-VH6001SVA	Nvidia ESA Certified						
TT-VI80001W2Z	SPEDO ADVANCE PACKAGE - Revolutionary design "C.R.M.3" Cable Routing Management 3,Innovative design "A.T.C.3" Advance Thermal Chamber 3,Fancool 8						R 3 498.60
TT-VD5000BNAD	SWORD M Witness the New Era for Handcraft						R 7 698.60
TT-VD5000LBNA	"Sword M" Case Series - NO liquid cooling system Fully handmade multifunctional high class PC case "Sword M" Case Series - Built in liquid cooling solution with extra large radiator and two 12cm fans,Fully handmade multifunctional high class PC case						R 8 998.60
TT-VB5001SNA	Tai-Chi -The Next Generation PC With LCS Built-in - All aluminum extrusion built chassis,BTX & ATX compatible,Relocate-able front control panel (Power, Reset switch, HDD & PWR LEDs).						R 5 598.60
TT-VE1000BWS	Revolution -The Path to perfection -Thermalatke Ultimate Entertainment Center						R 4 193.00
TT-VE1000SVA	Thermaltake Mozart TX Cube Tower, 330*360*720mm, Front 12cmX2(UP to 5) Rear 12cmX3(UP to 5& 8cmX1), 7" Bayx1,5"25x5,3.5"x7-E-SATA Connector -Black						R 4 893.00
TT-A2413	Thermaltake 7" Touch Screen LCD Monitor -Innovational Design!!!						R 5 593.00
TT-A2328	Thermaltake Media Lab VFD Panel fit 5"25 Bay With Remote control - Silver						R 1 253.00
TT-A2331	Thermaltake Media Lab VFD Panel fit 5"25 Bay With Remote control - Black						R 1 253.00
TT-A2421	Thermaltake BTX Upgrade Kits for MOZART TX						R 210.00
TT-A2422	Thermaltake Mini ITX Drive Bay PSU - 270Watt with Active PFC						R 1 253.00
TT-VH1000BWS	Thermaltake Soprano FX, Piano black finish,Brushed aluminum front door ,e-SATA connector built-in ,11x 5.25" drive bays,High efficiency ventilation :120mm(fro 90mm(top and back)						R 2 518.60
TT-VH9000BWS	Thermaltake Xaser VI MX - Tool-free design for 5.25" device and PCI slot,Independent thermal management for CPU, VGA & HDD,Front:120MM Blue LED Fan,Re Bundle With AOpen 400Watt -BULK						R 1 818.60
TT-VH9000SWS	Thermaltake Xaser VI MX - Tool-free design for 5.25" device and PCI slot,Independent thermal management for CPU, VGA & HDD,Front:120MM Blue LED Fan,Re Bundle With AOpen 400Watt -BULK						R 1 818.60
TT-VH8000BWS	Thermaltake Armor+ MX - Tool-free design for 5.25" &PCI slot,Independent thermal management CPU,VGA&HDD,Sliding hood with toolbox on top (upgra Bundle With AOpen 400Watt -BULK						R 2 238.60
TT-VH8000SVA	Thermaltake Armor+ MX - Tool-free design for 5.25" &PCI slot,Independent thermal management CPU,VGA&HDD,Sliding hood with toolbox on top (upgra Bundle With AOpen 400Watt -BULK						R 2 310.00
TT-VH800LBWS	Thermaltake Armor+ MX w/LCS- Optimized design for both liquid cooling and air cooling system ,Sliding hood on top for easy LCS maintenance,Tool-free desig						R 2 378.60
TT-VH800LSVA	Thermaltake Armor+ MX w/LCS- Optimized design for both liquid cooling and air cooling system ,Sliding hood on top for easy LCS maintenance,Tool-free desig						R 2 450.00
TT-VH900LBWS	Thermaltake Armor+ MX w/LCS- Optimized design for both liquid cooling and air cooling system ,Sliding hood on top for easy LCS maintenance,Tool-free desig						R 2 518.60
TT-VH900LSVA	Thermaltake Armor+ MX w/LCS- Optimized design for both liquid cooling and air cooling system ,Sliding hood on top for easy LCS maintenance,Tool-free desig						R 3 918.60
TT-VH900LBWS	Thermaltake Armor+ MX w/LCS- Optimized design for both liquid cooling and air cooling system ,Sliding hood on top for easy LCS maintenance,Tool-free desig						R 4 198.60
TT-VE7000BWS	SOPRANO DX Series - Aluminum Front Panel/Piano finish,Silent 14cm front and 12cm rear fans,e-SATA built-in - The Curve That Tingle Your						R 1 818.60
TT-VG8000BNS	Thermaltake Wing RS101 - Front mesh grill for maximum ventilation/120mm silent fan in rear /Air guide and openings on side panel /Tool-free installation-400W Bundle With AOpen 400Watt -BULK						R 770.00
TT-VJ70001N2Z	Thermaltake WING RS200 - Glossy finish front door,High efficiency ventilation: 120mm TurboFan in rear,Front detachable fan filter ,Air guide and openings on si Bundle With AOpen 400Watt -BULK						R 978.60
TT-VJ50001W2Z	Thermaltake SOPRANO RS200 - Glossy finish front door,High efficiency ventilation: 120mm TurboFan in rear,Front detachable fan filter ,Air guide and openings Bundle With AOpen 400Watt -BULK						R 1 050.00
TT-VK40001W2Z	Thermaltake SOPRANO RS201 - Glossy finish front door ,120mm TurboFan(REAR) ,Front detachable fan filter ,Air guide,Tool-free installation,500x200x440mm- Middle Tower						R 838.60
TT-VI6001BNS	Thermaltake Strike MX - 23cm Touchcolor™ Fan with 5 steps control ,Gun Metal front bezel,Rotated 90 degree HDD Cage, High efficiency ventilation:120mm fan Bundle With AOpen 400Watt -BULK						R 1 050.00
TT-VI1000BWS	Thermaltake M9 - Glossy finish,9 Drive Bays - 9x5.25", swappable to 3.5" by using HDD cage,High efficiency ventilation: 120mm silent fan in front&rear,Metal gri Bundle With AOpen 400Watt -BULK						R 1 118.60
TT-VJ2000BNS	Thermaltake M5, Tool-free installation for 5.25", 3.5" and PCI devices,Bottom-placed PSU design,Detachable front dust filter and 12cm fan for easy cleaning,Pre-drilled MB tray fan hole for bot						R 1 330.00
TT-VJ2000BWS	Thermaltake M5, Tool-free installation for 5.25", 3.5" and PCI devices,Bottom-placed PSU design,Detachable front dust filter and 12cm fan for easy cleaning,Pre-drilled MB tray fan hole for bot						R 1 398.60

TT-V4000BWS	Thermaltake M9D - 23cm Touchcolor™ Fan with 5 steps control ,Metal grilled front bezel ,Matt finish panel door with blue LED accents, Drive Bays - 9 5.25" drive	R	1 538.60
TT-VJ40001N2Z	Thermaltake V9 Series - Black powder coating ,Top 23cm silent fan Built-in,Front 12cm <b>Blue LED</b> fan , <b>Bottom-placed PSU design</b> ,MB tray 7cm fan for better	R	1 538.60
TT-VJ40001W2Z	Thermaltake V9 Series - Metal grilled front panel ,Top 23cm silent fan Built-in,Front 12cm <b>RED LED</b> fan , <b>Bottom-placed PSU design</b> ,MB tray fan hole pre-d	R	1 538.60
TT-VB6000BNS	Thermaltake <b>SOPRANO VX Series</b> - Simple and elegant ,12cm silent fan in rear,Dual USB 2.0, IEEE 1394 Firewire, HD Audio ports - Piano Mirror Coating	R	1 533.00
TT-VC6000BNA	<b>World No 1 Build in With DVD/CDRW Slim Combo</b> Thermaltake <b>ECLIPSE DV Real Slim DVD Combo (W)210x(D)500x(H)480mm</b> ,ATX & Micro ATX, 120mm Fron & Rear Fans <b>Aluminum - Black - No Window</b>	R	2 793.00
TT-VC6000BWA	Thermaltake <b>ECLIPSE DV Real Slim DVD Combo (W)210x(D)500x(H)480mm</b> ,ATX & Micro ATX, 120mm Fron & Rear Fans <b>Aluminum - Black</b>	R	2 798.60
TT-VC6000SWA	Thermaltake <b>ECLIPSE DV Real Slim DVD Combo (W)210x(D)500x(H)480mm</b> ,ATX & Micro ATX, 120mm Fron & Rear Fans <b>Aluminum - Silver</b>	R	2 798.60
TT-VF7001BNS	Thermaltake <b>Digital Home DH101</b> - Piano mirror coating with aluminum front panel design, Built-in Media LAB LCD with hot keys module (Windows Vista Ready)	R	3 498.60
TT-VH2001BNS	Thermaltake <b>Digital Home DH101</b> - Piano mirror coating with aluminum front panel design, Built-in Media LAB LCD with hot keys module (Windows Vista Ready)	R	6 998.60
TT-VH3001BNS	Thermaltake <b>Digital Home DH103</b> Digital Home Series - The HTPC with Full Tower Chassis expansibility	R	4 198.60
TT-VH4001BNS	Thermaltake <b>Digital Home DH103</b> Digital Home Series - The HTPC with Full Tower Chassis expansibility	R	7 698.60
TT-A2263	Thermaltake <b>Tsunami Dream Series</b> - Slim Multimedia USB Keyboard & Mouse Series - Make your dream machine come true!!	R	413.00
TT-A2328	Thermaltake <b>Media Lab VFD Panel fit 5"25 Bay With Remote control - Silver</b>	R	1 253.00
TT-A2331	Thermaltake <b>Media Lab VFD Panel fit 5"25 Bay With Remote control - Black</b>	R	1 253.00
TT-COREX-MA1000B	Thermaltake <b>COREX HomeTheater Chassis Build in with 7" Touch Screen LCD</b> , All Aluminum, with Metal Round Feet - Your Dream HTPC Case!!! - Black	R	4 888.60
TT-COREX-MA1000S	Thermaltake <b>COREX HomeTheater Chassis Build in with 7" Touch Screen LCD</b> , All Aluminum, with Metal Round Feet - Your Dream HTPC Case!!! - Silver	R	4 888.60
TT-VC6000BNA	<b>World No 1 Build in With DVD/CDRW Slim Combo</b> Thermaltake <b>ECLIPSE DV Real Slim DVD Combo (W)210x(D)500x(H)480mm</b> ,ATX & Micro ATX, 120mm Fron & Rear Fans <b>Aluminum - Black - No Window</b>	R	2 793.00
TT-VC6000BWA	Thermaltake <b>ECLIPSE DV Real Slim DVD Combo (W)210x(D)500x(H)480mm</b> ,ATX & Micro ATX, 120mm Fron & Rear Fans <b>Aluminum - Black</b>	R	2 793.00
TT-VC6000SWA	Thermaltake <b>ECLIPSE DV Real Slim DVD Combo (W)210x(D)500x(H)480mm</b> ,ATX & Micro ATX, 120mm Fron & Rear Fans <b>Aluminum - Silver</b>	R	2 793.00
TT-VC9321BNS	Thermaltake <b>SA No.1 BTX Solution</b> Thermaltake <b>Bach SX BTX</b> - Pithy aluminum front panel /Slim type DVD style/Superb multimedia capability/ <b>Built-in Media LAB kit/ Built-in 325W CFX PSU</b>	R	2 798.60
TT-VC9321SNS	Thermaltake <b>Bach SX BTX</b> - Pithy aluminum front panel /Slim type DVD style/Superb multimedia capability/ <b>Built-in Media LAB kit/ Built-in 325W CFX PSU</b>	R	2 798.60
CL-P0191	Thermaltake <b>Intel BTX Type I Performance Solution</b> (BTX&Micro BTX) Aluminum Fin Solder to Copper Base , Dual HeatPipe, Honeywell PCM45F <b>Material!!!</b>	R	413.00
TT-VF3001SNS	Thermaltake <b>True Musical Life Integration - SA No 1 Speicl Design for IPOD</b> Thermaltake <b>Mozart IP VF3000 Series - The Musical Life integration!!! With VFD Media Lab Build-in!!!</b>	R	2 798.60
TT-VF6000BWS	Thermaltake <b>LANBOX Lite™</b> - A fully modular chassis where all component may be removed from the body for easier installation	R	1 388.60
TT-VF1000BWS	Thermaltake <b>LANBOX -Mini Chassis on the Move</b> -All aluminum handle,Support Micro ATX&mini ITX,300x430x280mm,F/R:90mm W/LED/60mmX2- <b>Black</b>	R	1 678.60
TT-VF1000SWA	Thermaltake <b>LANBOX -Mini Chassis on the Move</b> -All aluminum handle,Support Micro ATX&mini ITX,300x430x280mm,F/R:90mm W/LED/60mmX2- <b>Silver</b>	R	1 678.60
TT-VF8001BNS	Thermaltake <b>LANBOX HT™</b> - Piano mirror coating with aluminum front panel design,Built-in Media LAB kit with hot keys module (Windows Vista Ready)	R	2 798.60
TT-A2328	Thermaltake <b>Media Lab VFD Panel fit 5"25 Bay With Remote control - Silver</b>	R	1 253.00
TT-A2331	Thermaltake <b>Media Lab VFD Panel fit 5"25 Bay With Remote control - Black</b>	R	1 253.00
TT-A2309	Thermaltake <b>I Cage 5.25" Bay Accessory Box - 5"25 to convert to 3 x3.5" HDD Module, 120mm Blue LED Fan -New!!!</b>	R	210.00
TT-A2315	Thermaltake <b>I BOX 5.25" Bay Accessory Box</b> - High Capacity, Multi Function, Easy to Use & Install - <b>Black</b>	R	138.60
TT-A2316	Thermaltake <b>I BOX 5.25" Bay Accessory Box</b> - High Capacity, Multi Function, Easy to Use & Install - <b>Silver</b>	R	138.60
TT-A2400	Thermaltake <b>Armor/ Kandalf 25cm Side Panel (Intake) -SA No1!!!</b> :250x250x30mm,600rpm, 15dBA Side 250mm fan with meshed grill for safety - <b>BLACK</b>	R	490.00
TT-A2356	Thermaltake <b>Armor/ Kandalf 25cm Side Panel (Intake) -SA No1!!!</b> :250x250x30mm,600rpm, 15dBA Side 250mm fan with meshed grill for safety - <b>Aluminum</b>	R	553.00
TT-A2459	Thermaltake <b>Transparent side panel with 23cm fan,800RPM and 15dBA only,Meshed grill,Soprano Dx, Bach Vx, Armor Jr., Agulla, Tsunami and Soprano</b>	R	480.00
TT-A2472	Thermaltake <b>Transparent side panel with 23cm fan,800RPM and 15dBA only,Meshed grill,Soprano Dx, Bach Vx, Armor Jr., Agulla, Tsunami and Soprano</b>	R	553.00
TT-A2167	Thermaltake <b>Stylish Ycable</b> -Y shapped Power cable-- <b>Recommand with PerfertLight TT-A1721</b>	R	77.00
TT-A2369	Thermaltake <b>Stylish Ycable</b> -Y shapped Power cable-Split one male 4-pin connectors into two,300mm length for full tower cases, <b>Bright LED</b> connector and beautiful UV mesh	R	84.00
TT-A2189	Thermaltake <b>Silent PurePower</b> PSU Adaptor cable,12V 4pin to 8pin, +3.3V/+5V/+5V Stand by, 20pin to 24pin adaptor,sleevling design .	R	105.00
TT-A2358	Thermaltake <b>Dr.Power</b> - The Fastest Way to Check Your Power Supply's Health - <b>GREEN LED</b> Indicator	R	273.00
TT-W0091RS	Thermaltake <b>Silent PurePower</b> 350W Series - Active PFC, ATX 12V 2.0, Fanless, SATA, IDE, 2Bays, 24pin to 20pin adaptor, ATX 12V 2.0	R	480.00

TT-W0162RS	Thermaltake PurePower 600W Series - Active PFC - ATX 12V 2.2, 5 pin SATAx2, 20+4 pin Power, PCI-E Connector, ATX	R	490.00
TT-W0161RS	Thermaltake PurePower 600W Series - Active PFC - ATX 12V 2.2, 5 pin SATAx2, 20+4 pin Power, PCI-E Connector, ATX	R	553.00
TT-W0098RS	Thermaltake PurePower 600W Series - Active PFC - ATX 12V 2.2 - 5 pin SATAx2, 20+4 pin Power, PCI-E Connector	R	1 118.60
TT-W0099RS	Thermaltake PurePower Express 250Watt, Experience the SLI Performance by Power Express!!!!	R	838.60
TT-W0067RS	Specialty TWV Series - Monitor your PSU Total Watt Voltage Thermaltake Silent PurePower 600W Series - Active PFC - ATX 12V 2.0 Plus EPS,6 Pin PCI Express Supported ,12cmBlue LED Fan, Intelligent Black Cable sle	R	558.60
TT-W0057RS	Thermaltake Silent PurePower TWV 500W Series - Active PFC - ATX 12V 2.0 Modularized Cable Management , Dual PCI-EConnectors	R	1 398.60
TT-W0098RS	Thermaltake Silent PurePower TWV 600W Series - Active PFC - ATX 12V 2.0 Modularized Cable Management , Dual PCI-EConnectors	R	1 398.60
TT-W0073RS	Thermaltake Silent PurePower PST520Watt - Bridge your PSU with Thermaltake Power Station!!!	R	1 398.60
TT-W0074RS	Thermaltake Silent PurePower PST520Watt - Bridge your PSU with Thermaltake Power Station!!!	R	1 398.60
TT-W0098RS	Thermaltake TR2 470Watt, With Passive PFC, 6 Pin PCI-E , 4 xSerial ATA, 20+4 Pin Connector, 12cm Fan, Mirror Coating, ATX 2.0	R	698.60
TT-W0093RS	Thermaltake TR2 500Watt, With PFC, 6 Pin PCI-E , 4 xSerial ATA, 20+4 Pin Connector, 12cm Fan, Mirror Coating, ATX 2.0	R	838.60
TT-W0101RS	Thermaltake TR2 550Watt, With Passive PFC, 2x6 Pin PCI-E , 4 xSerial ATA, 20+4 Pin Connector, 12cm Fan, Mirror Coating, ATX 2.0	R	978.60
TT-W0178RS	Thermaltake TR2 900Watt, ATX 12V 2.2,EPS 12V, Four + 12V rails , With Passive PFC, 4x Pin PCI-E , 8xSerial ATA, 12cm Fan	R	2 798.60
TT-W0176RS	Thermaltake TR2 1000Watt, ATX 12V 2.2,EPS 12V, Four + 12V rails , With Passive PFC, 4x Pin PCI-E , 8xSerial ATA, 12cm Fan	R	3 218.60
TT-W0103RS	Thermaltake ToughPower 600Watt - ATX 12V 2.2, EPS 12V Version, SLI,CrossFire,Dual Core CPU Ready,With Active PFC -14cm Fan!!!	R	1 398.60
TT-W0104RS	Thermaltake ToughPower 650Watt - ATX 12V 2.2, EPS 12V Version, SLI,CrossFire,Dual Core CPU Ready,With Active PFC -14cm Fan!!!	R	1 538.60
TT-W0105RS	Thermaltake ToughPower 700Watt - ATX 12V 2.2, EPS 12V Version, SLI,CrossFire,Dual Core CPU Ready,With Active PFC -14cm Fan!!!	R	1 678.60
TT-W0117RS	Thermaltake ToughPower 750Watt - ATX 12V 2.2, EPS 12V Version, SLI,CrossFire,Dual Core CPU Ready,With Active PFC -14cm Fan!!!	R	1 818.60
TT-W0106RS	Thermaltake ToughPower 700Watt - ATX 12V 2.2, EPS 12V Version, SLI,CrossFire,Dual Core CPU Ready,W/Active PFC-14cm Fan, -Modularized!!!	R	2 098.60
TT-W0116RS	Thermaltake ToughPower 750Watt - ATX 12V 2.2, EPS 12V Version, SLI,CrossFire,Dual Core CPU Ready,W/Active PFC-14cm Fan, -Modularized!!!	R	2 238.60
TT-W0131RS	Thermaltake ToughPower 850Watt - ATX 12V 2.2, EPS 12V Version, SLI,CrossFire,Dual Core CPU Ready,W/Active PFC-14cm Fan, -Modularized!!!	R	2 798.60
TT-W0178RS	Thermaltake ToughPower ESA 850Watt - ATX 12V 2.2, EPS 12V Version, SLI,CrossFire,Dual Core CPU Ready,W/Active PFC-14cm Fan, -Supports NVIDIA	R	2 798.60
TT-W0132RS	Thermaltake ToughPower 1000Watt - ATX 12V 2.2, EPS 12V Version, SLI,CrossFire,Dual Core CPU Ready,W/Active PFC-14cm Fan, -Modularized!!!	R	3 918.60
TT-W0133RS	Thermaltake ToughPower 1200Watt - ATX 12V 2.2, EPS 12V Version, SLI,CrossFire,Dual Core CPU Ready,W/Active PFC-14cm Fan, -Modularized!!!	R	4 198.60
TT-W0171RS	Thermaltake ToughPower 1500Watt - ATX 12V 2.3,EPS 12V 2.91,AMD/Intel Quad Core Support,PCI Ex8,SATAx8,W/Active PFC-14cm,Fan,Modularized!!!	R	5 598.60
TT-W0163RS	Thermaltake ToughPower QFan 650Watt - ATX 12V 2.2, EPS 12V Ver 2.91, SLI Ready,With Active PFC -140mm Qfan 360°non-frame-Extremely Quiet 140mm	R	1 818.60
TT-W0203RS	Thermaltake ToughPower QFan 750Watt - ATX 12V 2.2, EPS 12V Ver 2.91, SLI Ready,With Active PFC -140mm Qfan 360°non-frame-Extremely Quiet 140mm	R	2 238.60
TT-W0204RS	Thermaltake ToughPower QFan 850Watt - ATX 12V 2.2, EPS 12V Ver 2.91, SLI Ready,With Active PFC -140mm Qfan 360°non-frame-Extremely Quiet 140mm	R	2 798.60
TT-A2169	Thermaltake Silent PurePower PSU Adaptor cable,12V 4pin to 8pin, +3.3V/+5V/+5V Stand by, 20pin to 24pin adaptor,Sleeving design .	R	105.00
TT-A2167	Thermaltake Stylish Ycable -UV sensitive, Intelligent Cable Sleeve ,Y shaped Power cable,300mm length for full tower cases --Recommend with	R	77.00
TT-A2358	PerfertLight TT-A1721	R	273.00
TT-A2359	Thermaltake Dr.Power - The Fastest Way to Check Your Power Supply's Health - GREEN LED Indicator	R	273.00
TT-A2359	Thermaltake Power Station mini Box - One 4-pin connector ,Four 4-pin and two 3-pin power connector for case fan, case light,Red LED light indicates the Mini Box usage status,Universal design	R	210.00
CL-W0075	Thermaltake Big Water 735 1 x12cm Radiators Liquid System, 400L/hr Pump, 3/8" Tube, ATX/BTX	R	1 813.00
CL-W0076	Thermaltake Big Water 745 3 x12cm Radiators Liquid System, 400L/hr Pump, 3/8" Tube, ATX/BTX	R	1 818.60
CL-W0175	Thermaltake PW850I ProWater Series - Brazing Copper Waterblock,12cm Motorsports Radiator ,Durable&powerful 500L pump,High-capacity Tank,Flow meter,Stripe, Rugged&free-flowing 3/8" tubing	R	2 378.60
CL-W0121	Thermaltake BigWater 760iS -Refill Reservoir/PS00 Pump/12cm Blue LED VR Fan/Pure copper CPU Water Block/Automatic non-spill valves/Motorsports Radiato	R	2 378.60
CL-W0169	Thermaltake Big Water 780E 3U Bay Drive-ESA Technology,LED Light,Water level sensor,Silent Fan,Flow TX,PS00 Pump,Motorsports Radiator,Refill Reservoir, Quick Disconnect Connector,CPU Water Block	R	2 798.60
CL-W0186	Thermaltake Big Water 780 3U Bay Drive-5.25 Drive Bay design,Dual 12cm Motorsports Radiator ,Pure Copper Waterblock,High-performance Liquid Pump(PS00),Quick connector	R	2 798.60
TT-A242331	Clip for i7 1366 (Optional)	R	175.00
TT-W0011	Liquid Cooling System Rocket (Fanless) - All Copper Waterblock	R	1 398.60
CL-W0077	Thermaltake Symphony Mini - Massive aluminum radiator, Brazing copper CPU waterblock, Dual pump with 90L /hr flow rate	R	1 538.60
CL-W0052	Thermaltake Tide Water All in One VGA Liquid Cooling - Brazing Copper Water Block, Adjustable Fan (1700, 3000 RPM/17, 19dBA), 12V Tiny Pump	R	1 118.60
CL-W0065	Thermaltake Silent Water All in One CPU Liquid Cooling- Brazing Copper Water Block & Tank, Mini 12V Pump, Industrial Ggrade Rubber Tube	R	1 398.60
CL-W0180	Thermaltake T.M.G Series - TMG1 -12cm Motorsport Radiator - DTT - Dimple Tube Technology ,12cm Motorsports Radiator ,Low noise fan,User-friendly Quick I	R	553.00
CL-W0181	Thermaltake T.M.G Series - TMG1 -24cm Motorsport Radiator - DTT - Dimple Tube Technology ,12cm Motorsports Radiator ,Low noise fan,User-friendly Quick	R	833.00
CL-W0021	Thermaltake AquaBay M2 - 2U 12cm Radiator, Work with Thermaltake Big Water, 5"25 Drive Bay,12cm Big Radiator, Low noise fan 120mmx120mmx25m	R	553.00
CL-W0031	Thermaltake AquaBay M3 -Comply with Thermaltake Big Water, 5"25 Drive Bay,Transparent Water Level Window, Convenient to Refill .	R	413.00
CL-W0032	Thermaltake AquaBay M1 -Comply with Thermaltake Big Water, 5"25 Drive Bay,Transparent Water Level Window, Water flow meter, Mounting Kits.	R	553.00
CL-W0082	Thermaltake AquaBay M4 - HDD Water Block in 5"25" Bay, Aluminum cover dissipates heat more instantly than other HDD waterblock with acrylic cover, 6x6c	R	553.00
CL-W0103	Thermaltake Aqua Bay M5 - Alarm System for Liquid Temperature and Liquid Level W/ Pump-350 c.c Liquid Tank,PS00 Pump with 500L/h Flow Rate	R	833.00
CL-W0079	Thermaltake Aqua Bay M6 - Alarm System for Liquid Temperature and Liquid Level with Pump - 350 c.c Liquid Tank, LCD Panel Display	R	553.00
CL-W0088	Thermaltake Aqua Brazing All Copper Series - W2, Universal Clip for NVIDIA & ATI Supported VGA Waterblock	R	413.00
CL-W0182	Thermaltake WB200 , PERFORMANCE NORTH BRIDGE WATERBLOCK -Enhanced Universal Clip ,Pure Copper Water Block ,Advanced Brazing Technology ,User f	R	553.00
TT-W0119	Thermaltake TMG ND3 LCS, nVIDIA 9600GT/8800GT/7900/7800/6800Ultra, Super Silent at 16dB,Brazing Pure Copper Waterblock ,Super quiet 60mm low speed fan	R	698.60
CL-W0153	Thermaltake TMG ND4 VGA Card Cooler, nVIDIA 8800GTX, 18dBa,Brazing Pure Copper Waterblock,Large Aluminium Heatsink - 6 Year Warranty!!!	R	838.60
CL-W0092	Thermaltake Aqua RX BR2 - UFO CPU Waterblock - Dual Heatpipe design /Copper fins /All-in-one mounting design /Copper waterblock with blue LED acrylic cov	R	553.00
CL-W0037	Thermaltake Volcano4005 Heat Exchanger (Heat Source Block + Aluminium Radiator)	R	698.60
CL-W0043	Thermaltake Volcano 4008 Heat Exchanger - Integrated Radiator/Low Noise Fan/Brazed Source Exchanger/Enhanced Universal Clip	R	1 113.00
CL-W0080	Thermaltake Flow TX - The flow meter of Liquid Cooling System - NEW!!!	R	350.00
CL-W0138	Thermaltake Flow TX Plus - The flow meter with Water Temperature Indicato for any Liquid Cooling System - NEW!!!	R	413.00
CL-W0002	Thermaltake Liquid Cooling System 12cm Big Radiator - 12cm big Radiator - Low Noise VR Fan	R	490.00
CL-W0009	Thermaltake Liquid Cooling System 207 Water Level Indicator- Multiple Heatsink Fin & Sight Acrylic(Easy to See)	R	350.00
CL-W0132	Thermaltake P500 PUMP - With More POWER - Superior 12 Volts DC convenience/Compatible with high flow/80,000 hours MTBF (Mean Time Between Failure)	R	553.00
CL-W0044	Thermaltake Liquid Cooling System BigWater UV Sensitive Coolant - 500cc	R	210.00
CL-W0148	Thermaltake Coolant 1000 - UV Sensitive Liquid Cooling System Coolant - 1000cc	R	413.00
CL-W0102	Thermaltake Aqua RX R1- Memory Liquid Colling Heatsink -Universal application for all memory modules,Aluminum heatsink ,Copper tubing ,User Friendly Q	R	273.00
CL-W0045	Thermaltake Liquid Cooling System 0.25 Inch UV Tube	R	210.00
CL-W0055	Thermaltake Liquid Cooling System I-Tube 9 Green UV Reactive Tubing - Two Size 1/4" & 3/8" , More Kink-Resistant Than normal PVC	R	245.00
CL-W0047	Thermaltake iConnect 69 - Copper Nickel Plated Switch Connector,iConnect 69-Two Sided Barbed fitting, make you convert O6.4mm ID (1/4") to O9.5 mm ID (3/8") tubing easily	R	350.00

PROMOTION!!!		
TT-A2293	Thermaltake Muse, 5.25" HDD, All aluminum fanless design, Blue LED, Cypress AT2+ chip, USB Y-cable, Datatransfer Meter with blue backlight	R 558.60
TT-A2319	Thermaltake Muse, eSATA 3.5" HDD, All aluminum fanless design, Screwless design, Datatransfer Meter with blue backlight to indicate digital signal, Fully support	R 418.60
eSATA & USB Combo		
TT-N0002US	Thermaltake Muse OTB 2.5" eSATA & USB Combo Enclosure - BLACK - World 1st One Back Up & Restore Function	R 553.00
	Seagate® Momentus™ 5400.4 Series - 160GB Mobile Serial ATA (SATA) - Serial ATA 150 With 8MB Cache @ 5400RPM	R 1258.60
	Seagate® Momentus™ 5400.4 Series - 250GB Mobile Serial ATA (SATA) - Serial ATA 150 With 8MB Cache @ 5400RPM	R 1398.60
	Seagate® Momentus™ 5400.4 Series - 320GB Mobile Serial ATA (SATA) - Serial ATA 150 With 8MB Cache @ 5400RPM	R 1538.60
TT-N0018US	Thermaltake MAX4 eSATA&USB2.0 COMBO - Application for 2.5" SATA HDD. Thermaltake logo LED for power and disk activity - Made by Aluminum	R 553.00
	Seagate® Momentus™ 5400.4 Series - 160GB Mobile Serial ATA (SATA) - Serial ATA 150 With 8MB Cache @ 5400RPM	R 1258.60
	Seagate® Momentus™ 5400.4 Series - 250GB Mobile Serial ATA (SATA) - Serial ATA 150 With 8MB Cache @ 5400RPM	R 1398.60
	Seagate® Momentus™ 5400.4 Series - 320GB Mobile Serial ATA (SATA) - Serial ATA 150 With 8MB Cache @ 5400RPM	R 1538.60
TT-ST0002Z	Thermaltake MAX4 SATA HDD Rack - Supports dual 2.5" SATA hard drive, Fully supports hot-swap and hot-plug, Tool-free for easy HDD installation, Fits in standard	R 698.60
SATA Hard Drive Rack		
TT-N0023SN	Thermaltake MAX4 3.5" SATA Hard Drive Rack- Fully supports hot-swap and hot-plug, Tool-free for easy HDD installation, Dual LED indicator for power and disk ac	R 418.60
	Seagate® Barracuda™ 7200.10 Series - 250GB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 8MB Cache @ 7200RPM - NCO	R 1050.00
	Seagate® Barracuda™ 7200.11 Series - 320GB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 16MB Cache @ 7200RPM - NCO	R 1330.00
	Seagate® Barracuda™ 7200.11 Series - 500GB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 32MB Cache @ 7200RPM - NCO	R 1330.00
TT-ST0001	Thermaltake BLAC X SATA HDD Docking Station - Supports All 2.5" & 3.5" SATA HDDs up to 1TB, Hot-Swap Capability for Rapid Multi HDDs Access & Exchange, S	R 558.60
	Seagate® Barracuda™ 7200.10 Series - 250GB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 8MB Cache @ 7200RPM - NCO	R 1118.60
	Seagate® Barracuda™ 7200.11 Series - 320GB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 16MB Cache @ 7200RPM - NCO	R 1258.60
	Seagate® Barracuda™ 7200.11 Series - 500GB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 32MB Cache @ 7200RPM - NCO	R 1398.60
TT-A2357	Thermaltake MUSE eSATA&USB2.0 COMBO - All aluminum fanless design, Screwless design, Datatransfer Meter with blue backlight, Compact mount easily to stan	R 693.00
	Seagate® Barracuda™ 7200.11 Series - 500GB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 32MB Cache @ 7200RPM - NCO	R 1398.60
	Seagate® Barracuda™ 7200.11 Series - 1TB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 32MB Cache @ 7200RPM - NCO	R 2238.60
TT-N0012US	Thermaltake MAX4 Active Cooling eSATA&USB2.0 COMBO - Application for 3.5" SATA HDD, including 80x80x15mm BLUE LED Silent fan - Made by Aluminum	R 698.60
	Seagate® Barracuda™ 7200.11 Series - 500GB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 32MB Cache @ 7200RPM - NCO	R 1470.00
	Seagate® Barracuda™ 7200.11 Series - 1TB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 32MB Cache @ 7200RPM - NCO	R 2310.00
TT-N0006US	Thermaltake MUSE R-Duo RAID, 2 Bay 3.5" SATA Hard Drive, Supports eSATA & USB2.0 interface for convenience or performance, Rotating acrylic foot stands	R 2098.60
	Seagate® Barracuda™ 7200.11 Series - 500GB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 32MB Cache @ 7200RPM - NCO	R 2798.60
	Seagate® Barracuda™ 7200.11 Series - 750GB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 32MB Cache @ 7200RPM - NCO	R 3358.60
	Seagate® Barracuda™ 7200.11 Series - 1TB Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With 32MB Cache @ 7200RPM - NCO	R 3638.60
MUSE R-Duo RAID		
TT-N0015LU	Thermaltake MUSE X-Duo RAID, Storage Center, Gigabit Ethernet, RAID Configuration, Remote management, Media Server, FTP Server, OTB Funct	R 2798.60
TT-N0001LN	Thermaltake MUSE NAS Storage - Hot Swap carrier design, Overheat & RAID function fail active warning system, Network Access Sever, Support RAID 0, 1, 5, 5	R 693.00
eSATA Extended PCI Bracket		
TT-A2360	Thermaltake eSATA Extended PCI Bracket - Extra Shield Layer to Reduce EMI, Recessed Connector to Prevent ESD(Electrostatic Discharge), Fully Support Hot Plug	R 105.00
TT-A2361	Thermaltake 1 Meter eSATA Cable - Extra Shield Layer to Reduce EMI, Recessed Connector to Prevent ESD(Electrostatic Discharge), Fully Support Hot Plug	R 105.00
Feel the Power		
Heat Pipes		
CL-P0025	Thermaltake Silent Tower Heatpipe Cooling for Socket 478/T-K78, K8(4 in 1 solution) Copper base & Aluminum Fin.	R 278.60
CL-P0401	Thermaltake V1 - Enthusiast Cooler with Style - 4 Long Independent Heatpipe/Open Design, Multi Way Air Intake/Blue LED with VR Control/Mirror Coating Base	R 698.60
CL-P0508	Thermaltake V1 AX - Silent and powerful VR fan, 16dBA, 110mm fan with BLUE LED, 4 long heatpipe, Mirror coating copper base	R 838.60
CL-P0472	Thermaltake V14 Pro - Innovative Dual-VTM Series Design, All Copper Cooling Construction, 6 long heatpipes, Mirror coating copper base, Intelligent CPU & System	R 838.60
CL-P0548	Thermaltake V1 - Ultimate cooling performance, Smart CPU & System Thermal Management, Mirror coating copper base, Silent & Overclocking Proof Solution, Inte	R 838.60
	Thermaltake SpinQ - Optimized Structure: 6 Copper Heatpipes, 80mm Blow Fan, Low Noise Performance, VR™ Fan Control, Smart Airflow Design: 360-Heat	R 838.60
CL-P0489	Thermaltake TMG IA1, 51 Aluminum Fins & 4 copper heatpipes, 12cm VR™ Fan with Blue LED, Utility Tower Structure, Integrated Airflow Design, Source™ Blade Fan with Shinning Visual Effect	R 838.60
CL-P0464	Thermaltake DuOrb - Extension of DuOrb Cooler Design, Blue-Red LED Lights Fans, two 80mm fans come equipped with LED lights, one with blue and one with re	R 838.60
Blue Orb		
CL-P0480	Thermaltake Blue Orb Mini - Radian crotched fin design, All aluminum construction, designed for low power CPU, Silent Solution 21 dBA Only.	R 350.00
	Thermaltake Golden Orb Radiate aluminum golden fin provide sufficient air flow, Universal design for Intel P4 LGA775 & AMD K8. 17dBA with Blue LED	R 385.00
	Thermaltake Blue Orb II - New!!! Dual Core CPU Supported!!!	R 418.60
	Thermaltake GunMet Orb - Patented Radian crotched fin design providing superior airflow, Incredible aluminum fin count: 140 fins, Silent Fan with White	R 480.00
CL-P0478	LED, 17dBA	R 480.00
CL-P0391	Thermaltake Ruby Orb - INCREDIBLE Aluminum fin count: 140 fins, Silent Fan with red LED, whispering 17dBA, Universal LGA775&AMD 754/939/940/AM2	R 480.00
CL-P0333	Thermaltake BlueOrb FX - Enthusiast Cooler with Style - Real-Time Temperature Display, Fascinating Flash Light with "Thermaltake" - Thermaltake Radian crotche	R 558.60
	Thermaltake MaxOrb Enthusiast Cooler with Style - 6 Independent Heatpipe, Radial Heat-Transfer/Extrem Silence & Maximum Cooling/VR Fan Speed Control	R 698.60
	Thermaltake MaxOrb FX Enthusiast Cooler with Style - 6 Distinct Designed Heatpipes, Mirror Coating Copper Base, Unique Radiant Heatpipes, The 110mm fan wit	R 838.60
CL-P0462	Thermaltake X5 Orb FX II - Extraordinary visual effect, To grip cooling status -Real-time display: temperature*, °C/°F in turns, Patented Radian crotched fin design	R 693.00
CL-P0493	Thermaltake X5 Orb FX II - Extraordinary visual effect, To grip cooling status -Real-time display: temperature*, °C/°F in turns, Patented Radian crotched fin design	R 693.00
CL-P0495	Thermaltake X5 Orb FX II - Extraordinary visual effect, To grip cooling status -Real-time display: temperature*, °C/°F in turns, Patented Radian crotched fin design	R 693.00
CL-P0496	Thermaltake X5 Orb FX II - Extraordinary visual effect, To grip cooling status -Real-time display: temperature*, °C/°F in turns, Patented Radian crotched fin design	R 693.00
Mini Typ		
CL-P0343-01	Thermaltake Mini Typhoon (MiniTyp™ 90) VALUE PACK, All Copper, 6 HeatPipes, RX Fan, Silent Blue LED Fanx2: 50x50x10mm, 3000rpm, cooling, Rotatable fa	R 553.00
CL-P0456	Thermaltake BigTyp series, BigTyp 14 Pro - mirror coating copper base, 6 copper heatpipes, 14cm Giant Fan with Blue LED, VR™ Fan Function, Universal Clip	R 838.60
LGA1366 UPGRADE CLIP		
TT-A100069	LGA1366 Upgrade Clip - V1 CL-P0401 & V1 AX CL-P0508	R 140.00
TT-A100070	LGA1366 Upgrade Clip - BigType 120VX CL-P0310-01	R 140.00
T.M.G Series		
CL-P0371	Thermaltake T.M.G Series Cooler - TMG A1, AMD AM2/939/754, Copper Base / Aluminum Fin, 117(L) x 102(W) x 141(H)mm, 16 dBA, 4-Pin PWM function	R 553.00
CL-P0373	Thermaltake T.M.G Series Cooler - TMG A2, AMD AM2/939/754, Copper Base / Aluminum Fin, 115(L) x 102(W) x 103(H)mm, 16 dBA, 4-Pin PWM function	R 553.00
CL-P0374	Thermaltake T.M.G Series Cooler - TMG A3, AMD AM2/939/754, Aluminum extrusion, 92(L) x 92(W) x 32(H)mm, 16 dBA, 4-Pin PWM function	R 418.60
CL-P0372	Thermaltake T.M.G Cooler - TMG I2, Intel CoreTM 2 Extreme/Duo, Copper Base/Aluminum Fin, 115(L) x 102(W) x 103(H)mm, 16 dBA, 4-Pin PWM function	R 558.60
CL-P0370	Thermaltake T.M.G Cooler - TMG I1, Intel CoreTM 2 Extreme/Duo, Copper Base / Aluminum Fin, 92(L) x 92(W) x 32(H)mm, 16 dBA, 4-Pin PWM function	R 693.00
CL-P0489	Thermaltake TMG IA1, 51 Aluminum Fins & 4 copper heatpipes, 12cm VR™ Fan with Blue LED, Utility Tower Structure, Integrated Airflow Design, Source™ Blade Fan with Shinning Visual Effect	R 838.60
BTX Series - SA No.1		
CL-P0113	Thermaltake Intel Mainstream BTX Form Factor (Type I) Aluminum Extrusion Heat Sink, Thermagong T-Grease2500 Interface	R 413.00
CL-P0122	Thermaltake Safari BX02 Intel Pico BTX Form Factor (Type II) Aluminum Fins, Copper Base, Dow Corning SC-102 Interface	R 413.00
Silent BTX Series - SA No.1		
CL-P0191	Thermaltake Intel BTX Type I Performance Solution (BTX&Micro BTX) Aluminum Fin Solder to Copper Base, Dual HeatPipe, Honeywell PCM45F	R 413.00
Material!!!		
1U/2U Server solution		
TT-A1240	Thermaltake 1U/2U Server solution P4 478 Tiny Fin for Intel 1U Rack Mount System	R 138.60
CL-P0187	Thermaltake 1U Active Server solution Intel P4 LGA775, All Copper Base & Copper Fins Skived Technology, Shin Etsu G751 interface	R 413.00
CL-P0173	Thermaltake 2U Server Solution Intel Xeon Irwindale 800FSB (3.2GHz) All Copper, Tiny Fin Technology, Dow Corning SC102 Interface.	R 553.00
CL-P0098	Thermaltake 1U Active Server solution Intel P4 L478 Copper Fins & Copper Base, 60mmx60mmx18mm Blower-Dow Corning SC102 Interface	R 210.00
Venus Series		
TT-A1838	Thermaltake Venus Silent Boost K8 AMD Opteron & AM2 Athlon 64/64FX /Sempron Socket 754, All Copper, Tool-Free Clip.	R 210.00
Volcano Series		
TT-A1725	Thermaltake Volcano 11+ AMD Athlon XP up to 3.4, Opti-Fin Technology, All Copper, 2 Adjustable Fan controls (5"25 & PCI Slot)	R 138.60
TT-A1745	Thermaltake Volcano 12 EXTREME AMD Athlon (UP to 3.4) AMD Sempron (UP to 2.8), High Density All Copper Heatsink(66 fins), 2 Ball Bearing Fans	R 273.00
SubZero 4G Series		
TT-SUBZER04G-K7	Thermaltake SubZero Thermo-Electric Cooling - AMD K7 -Copper Base soldered -Include A1617 A1618 & A1619(TT-A1618)	R 418.60
TR2 Series		
CL-P0247	TT TR2-B1 Intel BTX&MicroBTX (Type I) 115W, Aluminum Heatsink w/Copper Core, 92*92*38 Fan, With PWM, Honeywell PCM45F Material.	R 350.00
TT-A4011D	TT A4011D TR2-M115E Intel 478 2.8GHz and UP, High Aspect Aluminum Heatsink, Spring Easy Install Clip, Silent Solution, 21 dBA	R 210.00
TT-A4012	TT A4012D TR2-M125E INTEL 478 FMB1.5 3.6GHz, All Copper, Opti-Fin Technology, gives good heat dissipation properties Silent solution, 21dBA	R 210.00
TT-A4013D	TT A4013D TR2-M135E Intel LGA775 FMB2, Copper Base - Increase airflow by intake air from Multi-Directional, 21 dBA	R 175.00

TT-A4016	TT A4016D TR2-M16SE Intel™ LGA775, Radiate Fins ,The 4th pin equipped with PWM (Pulse Width Modulation), Push pin design(Tool Free Installation)	R	210.00
TT-A4018	TT A4018D TR2-M18SE Intel™ LGA775, Radiate Fins , Multi-air-intake silent fan, Push pin design(Tool Free Installation)	R	210.00
TT-A4020D	TT A4020D TR2-M20SE Intel LGA775 115W ,Radiate fin, Funneled Fan, Push -Pin Design, With PWM(Pulse Width Modulation)	R	245.00
TT-A4021D	TT A4021D TR2-M21RX Intel LGA775 115W ,Radiate fin with Copper Core , Silent Reserved Fan, Push -Pin Design(Tool Free!!!)	R	273.00
TT-A4022D	TT A4022 TR2-R1 Ultra Silence AMD Athlon64X2/FX/64(AM2,939,754)& Sempron(SKT 754), Perfect ratio aluminum extrusion heatsink, Tool-Less Clip, 6 Y	R	138.60
<b>NO. 2000000000</b>			
TT-A2376	Thermaltake <b>HDD Cooler</b> - Aluminum alloy heat sink, 80mm high performance/low noise DC FAN(3200RPM,30dBA),Longer MTBF (Mean Time Between Failure)	R	140.00
TT-A2427	Thermaltake <b>Hard Drive Blue LED Fan</b> -Built-in 80mm high performance/low noise DC FAN(2200RPM,21dBA).Application for all 3.5" HDD(IDE, SCSI, SATA, SAS)	R	273.00
TT-A2476	Thermaltake <b>T.M.G Series - 3.5" HDD Cooler - Super silent at 16dBA, Transparent fan with 2 blue LEDs, Easy installation</b>	R	350.00
	Seagate® Barracuda™ 7200.11 Series - <b>320GB</b> Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With <b>16MB</b> Cache @ 7200RPM - <b>NCQ</b>	R	1 118.60
	Seagate® Barracuda™ 7200.10 Series - <b>500GB</b> Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With <b>32MB</b> Cache @ 7200RPM - <b>NCQ</b>	R	1 258.60
	Seagate® Barracuda™ 7200.11 Series - <b>1TB</b> Serial ATA II (SATA2) Plus - Serial ATA 300 (3Gbps) With <b>32MB</b> Cache @ 7200RPM - <b>NCQ</b>	R	2 098.60
<b>NO. 2000000000</b>			
TT-A2375	Thermaltake <b>PCI Slot Fan</b> - Improve air flow inside the case,Built in 80mm high performance low noise DC FAN(2900RPM,30dBA),Blue UV Reactive	R	140.00
TT-A2426	Thermaltake <b>Cyclo PCI Slot</b> Blue LED Fan-80mm high performance low noise DC FAN(2200RPM,21dBA),Classic translucent design with fantastic shining blue.	R	210.00
TT-A2414	Thermaltake <b>TMG SL1</b> Dual Slot Fan, Super silent at 16dBA , Transparent fan with 3 blue LEDs,Long life Enter Bearing 6 Year Warranty!!!	R	273.00
<b>NO. 2000000000</b>			
TT-A1919	Thermaltake <b>Giant III Extreme - Dual Heatpipe &amp; dual Fan VGA Cooler</b>	R	273.00
CL-G0009	Thermaltake <b>Chipset &amp; VGA Cooler With Heatpipe - Schooner - Fanless 0dBA Fanless VGA Cooler</b> - Universal Clip for Both ATI & nVIDIA.	R	413.00
CL-G0102	Thermaltake <b>DuOrb - DuOrb Cool More</b> - Universal Design for nVIDIA & ATI ,Innovative Dual-Orb patented design/Source™ fan blade design and 6-LED lights/All	R	553.00
CL-G0103	Thermaltake <b>SOrb</b> -Innovation Patented S shape, Universal Clip,Mirror Coating Copper Base & Two Copper Heatpipes,Source™ Fan Blade Design with 3-LED	R	693.00
CL-G0116	Thermaltake <b>DuOrb AX</b> - Innovative DuOrb series design, Effective cooling construction: 2 copper heatpipes penetrating aluminum fins w/copper base,Source™	R	693.00
CL-G0115	Thermaltake <b>Fanless330</b> - 3 Heatsink Modules in One - 4 heatpipes & 106 fins make 3 single heatsink modules and get multiple cooling performance,Dual Layer	R	693.00
<b>NO. 2000000000</b>			
TT-A1933	Thermaltake <b>A1933 Aluminum Ram Heatsink Cooler -8pcs</b>	R	210.00
TT-A1414	Thermaltake <b>Memory Cooling Kits - DDR Copper Heat Spreader</b> for all DDR & Sdram - High conductivity thermal pad, <b>Aluminum</b> Heat Sink included	R	210.00
CL-C0001	Thermaltake <b>TrueLight Memory Heat Spreader</b> for all DDR & Sdram -8 diff lighting modes W/mode switch	R	210.00
CL-R0023	Thermaltake <b>CYCLO Memory Cooling</b> - Crystal Stream Line Style with <b>BLUE LED</b> light , Silent <b>blue LED</b> Fan X2 4500RPM,19 dBA only	R	210.00
CL-R0026	Thermaltake <b>Spirit RS</b> - Application for DDR& DDR2 -Superb Heatpipe thermal module/Aluminum extruded heat spreader/Angle adjustable design	R	278.60
CL-R0028	Thermaltake <b>V1R RAM Cooler</b> -Extension of V1 cooler design, V shape architecture heat-pipe cooling,Copper fins&heat-pipe,Extruded aluminum heat spreaders,Ar	R	350.00
CL-R0029	Thermaltake <b>RamOrb RAM Cooler</b> -Orb series inspired memory cooler , Superb thermal module, 5cm fan with copper heatpipe penetrating copper fins,Angular	R	418.60
<b>NO. 2000000000</b>			
CL-C0026	Thermaltake <b>BGA Memory Heatsink</b> - Application for ATI & NVIDIA VGA Card - <b>All Anodized Aluminum Heatsink -8 pcs per pack</b>	R	105.00
CL-C0025	Thermaltake <b>BGA Memory Heatsink</b> - Application for ATI & NVIDIA VGA Card - <b>All Copper Heatsink - 8 pcs per pack</b>	R	133.00
CL-Z0004	Thermaltake <b>EHC500 Memory Heatsink</b> - A universal application for Chipset, Memory ,VRM and Ram ,Heatsink ensures the best heat dissipation	R	278.60
CL-Z0005	Thermaltake <b>EHC250 Memory Heatsink</b> - A universal application for Chipset, Memory ,VRM and Ram ,Heatsink ensures the best heat dissipation	R	250.60
CL-Z0006	Thermaltake <b>EHA500 Memory Heatsink</b> - A universal application for Chipset, Memory ,VRM and Ram ,Heatsink ensures the best heat dissipation	R	210.00
CL-C0034	Thermaltake <b>Extreme Spirit II - Application for all Northbridge Chipsets</b> -Heatpipe technology ,All copper,Seamless soldering, 40cmx40mmx10mm	R	273.00
<b>NO. 2000000000</b>			
TT-R14PF04	Thermaltake <b>NBCool T500</b> -Application for 12"~15" NB- <b>Dual ultra silent 8cm fan /Light weight/Black mirror finish/Multi-vent design-300 x 230x 25 mm</b>	R	273.00
TT-R15PF02	Thermaltake <b>NBCool T4000</b> -Application for 12"~15" NB- Light weight for maximum portability,Dual adjustable 7cm fans ,Multi-vent design,USB Powered,Compact	R	273.00
TT-R14PF03	Thermaltake <b>NBCool T2000</b> -Application for 12"~15" NB- <b>Ultra silent dual 7cm fans /Light weight/Black mirror finish/USB Powered-330 x 186x 43.5 mm</b>	R	413.00
TT-R14PF01	Thermaltake <b>NBCool T1000</b> -Application for 12"~15" NB- <b>Embedded ultra silent 12cm blue LED fan W/ On-Off switch/Black mirror finish /Multi-vent desi</b>	R	553.00
TT-R14AN01	Thermaltake <b>NBCool T3000</b> -Application for 12"~15" NB- <b>Revolutionary HeatPipe Design</b> -Embedded QUAD Heatpipe greatly increase thermal dissipation,ULT	R	693.00
TT-R15ON01	Thermaltake <b>iXoft</b> Revolutionary Fanless Design for absolute silence <b>0dBA.Exclusive HeatShift Technology</b> for ultimate laptop cooling, Ultra Lig(640g), no Pd	R	418.60
TT-R15ON02	Thermaltake <b>iXoft</b> Revolutionary Fanless Design for absolute silence <b>0dBA.Exclusive HeatShift Technology</b> for ultimate laptop cooling, Ultra Lig(640g), no Pd	R	418.60
TT-R15TN05	Thermaltake <b>iXoft</b> Revolutionary Fanless Design for absolute silence <b>0dBA.Exclusive HeatShift Technology</b> for ultimate laptop cooling, Ultra Lig(640g), no Pd	R	698.60
CL-00004	Thermaltake <b>CoolPad Notebook Cooling Extensible design -Aluminum Housing - Light Weight &amp; portable - 4 USB Ports -Hot !</b>	R	553.00
TT-A2326	Thermaltake <b>Tai-Chi M - All Aluminum</b> Modernized Black-Silver Design, Space Saving Folding Design	R	693.00
TT-A2420	Thermaltake <b>Tai-Chi M+</b> - Modernized black-silver aluminum extrusion pad,Design for 12"~17" wide-screen Laptop,Dual silent 7cm fans(1000RPM,14dBA) with power switch	R	833.00
TT-R15AN01	Thermaltake <b>Tai-Chi S</b> - Noise-less design (Tunnel Effect) for absolute silence and power saving,Aluminum extruded stand with contemporary gun-metal finish,Supports 12" ~ 17"notebooks	R	833.00
TT-CLN0005	Thermaltake <b>Xaser S1000</b> - Dual adjustable silent blue LED 7cm fans.Modernized black aluminum extrusion cover,Ergonomic angle design Adapter-free design,Supports 12" ~ 15" NBs	R	833.00
TT-CLN0003	Thermaltake <b>XWavX 13" Notebook Cooler</b> - Noise-less design for absolute silence and power saving,Extra slim,Aluminum material with silver finish,Supports 10" ~ 13" wide-screen NBs.	R	833.00
TT-CLN0001	Thermaltake <b>XWavX 15" Notebook Cooler</b> - Noise-less design for absolute silence and power saving,Extra slim,Aluminum material with silver finish,Supports 13" ~ 15" wide-screen NBs.	R	833.00
<b>NO. 2000000000</b>			
TT-A2140	Thermaltake <b>Xcontroller 5.25" Drive Bay Kits</b> LED 4 Channel VR Fan Kits	R	182.00
TT-A1869	Thermaltake <b>Xcontroller X-BLOWER FAN 80X80X70</b>	R	210.00
TT-A2324	Thermaltake <b>O3 Air Cleaner</b> ,Ozone could be denicotinized and antiseptised, Ozone is safe that only produces trace amounts of nitrogen oxide,	R	273.00
TT-A2021	Thermaltake <b>Xray Tray</b> application in Car accessories(Change with Mobile,PDA,...etc) <b>Beverage Tray!!</b>	R	175.00
TT-A1875	Thermaltake <b>Xspeaker</b> Professional Music Kit	R	413.00
TT-A1994	Thermaltake <b>5"25 Professional Multi-Media Kits Circle Fire</b> - Include Speaker, Dencing Meter & shining LEDs.	R	553.00
<b>NO. 2000000000</b>			
TT-A2348	Thermaltake <b>Hardcano 12SE</b> - Auto & Manual mode,4 sets of temperature probe,4 sets of alarm temperature setting ,Blue back light LCD display	R	553.00
TT-A2269	Thermaltake <b>Hardcano 13 5"25 Drive Bay Kits - Multi Function</b> -Large EL Back Light & LCD W/ 8 Colors&6 in 1 Card Reader	R	693.00
TT-A2321	Thermaltake <b>Hardcano 14 Aluminum 3.5" HDD Clamshell Cooler , Blue Mystic LED Streamer</b> , Support IDE,SCSI,SATA, SAS interface HDD	R	413.00
<b>NO. 2000000000</b>			
TT-A1873	Thermaltake <b>4 Channel 8025 VR Fan Kits W/3.5 Speed Control Panel</b> With 4 Hight Airflow 80x80x25 Fan included.	R	245.00
TT-A2146	Thermaltake <b>MagicSound</b> Voice Control Fan Kit - <b>New!!</b>	R	273.00
<b>NO. 2000000000</b>			
<b>NO. 2000000000</b>			
TT-A1716	Thermaltake <b>Case Light Without Sound Activation -Blue</b>	R	91.00
TT-A1717	Thermaltake <b>Case Light Without Sound Activation -Red</b>	R	91.00
TT-A1718	Thermaltake <b>Case Light Without Sound Activation -Green</b>	R	91.00
	Thermaltake <b>Case Light Without Sound Activation -</b>	R	91.00
TT-A1720	Thermaltake <b>Case Light Without Sound Activation -Purple</b>	R	91.00
TT-A1721	Thermaltake <b>Case Light Without Sound Activation -Purple UV Light</b> -Recommend with Stylish Ycable TT-A2167	R	105.00
<b>NO. 2000000000</b>			
TT-A2452	Thermaltake <b>Cyclo 8cm RED Pattern Fan</b> - Rotating and dancing patterns in red LED/Shield cover design for safety/80x80x41mm Fan (1800RPM, 19dBA).	R	140.00
TT-A2453	Thermaltake <b>Cyclo 8cm BLUE Pattern Fan</b> - Rotating and dancing patterns in red LED/Shield cover design for safety/80x80x41mm Fan (1800RPM, 19dBA).	R	140.00
TT-A2449	Thermaltake <b>Cyclo 12cm RED Pattern Fan</b> - Rotating and dancing patterns in red LED/Shield cover design for safety/120x120x41mm Fan (1500RPM, 17dBA)	R	210.00
TT-A2450	Thermaltake <b>Cyclo 12cm BLUE Pattern Fan</b> - Rotating and dancing patterns in red LED/Shield cover design for safety/120x120x41mm Fan (1500RPM, 17dBA)	R	210.00
TT-A2491	Thermaltake <b>Cyclo 8cm Logo Fan</b> - Rotating and dancing "Thermaltake" Logo in red LED/Real-time display/Shield cover/120x120x41mm Fan 80x80x41mm Fan	R	210.00
TT-A2460	Thermaltake <b>Cyclo 12cm Logo Fan</b> - Rotating and dancing "Thermaltake" Logo in red LED/Real-time display/Shield cover/120x120x41mm Fan (1500RPM, 17dB)	R	273.00
<b>NO. 2000000000</b>			
TT-A2345	Thermaltake <b>iFlash Mini - 80mmx80mmx25mm, 2000RPM, 21dBA</b> , Real-time environment temperature display, Eight Red LED shining fantastic LOGO	R	210.00
TT-A2445	Thermaltake <b>iFlash +(12CM) -120x120x28 Fan (1800RPM, 25dBA)</b> , Real-time environment temperature display, Eight Red LED shining fantastic LOGO	R	278.60
TT-A2346	Thermaltake <b>iFlash 12 120mmx120mmx28mm, 1600RPM, 16dBA</b> , Real-time environment temperature display, Eight Red LED shining fantastic LOGO	R	140.00
TT-AF0001	Thermaltake <b>LightX Fan12</b> - 5 options in different illumination modes, Easily change the modes by switch, Low speed fan at minimal noise level. 120x120x25 Fan. (1400RPM)	R	210.00
TT-AF0002	Thermaltake <b>Modx Fan 8</b> - World First "Programmable Logo Fan", customized your own words to meet your style,80x80x25 Fan. (1700RPM)	R	350.00
TT-AF0003	Thermaltake <b>Modx Fan 12</b> - World First "Programmable Logo Fan", customized your own words to meet your style, 120 x 120 x 25mm . (1100RPM)	R	490.00

<b>Star Force series -Great UV Activated</b>		
TT-A2266	StarForce Fan #1 With Blue UV Twin Blade Fan, "TT" Logo Flash Mode W/RGB Color, Fan speed controller fits on PCI slot,Recommnd Work With TT-A1721	R 189.00
TT-A2267	StarForce Fan #1 With Green UV Twin Blade Fan, "TT" Logo Flash Mode W/RGB Color, Fan speed controller fits on PCI slot,Recommnd Work With TT-A1721	R 189.00
TT-A2268	StarForce Fan #1 With Silver UV Twin Blade Fan, "TT" Logo Flash Mode W/RGB Color, Fan speed controller fits on PCI slot,Recommnd Work With TT-A1721	R 189.00
<b>XB Pro Series - Smart blower fan (3 functions in 1)</b>		
TT-A1901	Combo Cool DIY XB Pro #1 7-Colors LED W/PCI slot Fan Speed Controller included - 80mm x80mm,Smart blower fan (3 functions in 1):Transparent	R 196.00
TT-A2215	Combo Cool DIY XB Pro #2 UV 2 Ball Bearing W/PCI slot Fan Speed Controller included - 80mm x80mm -Green	R 182.00
TT-A2216	Combo Cool DIY XB Pro #3 2 Ball Bearing W/PCI slot Fan Speed Controller included- 80mm x80mm -Black	R 168.00
<b>UFO Series -Smart UFO Fan (3 functions in 1) - Application for CPU Heat sink</b>		
TT-A2214	UFO Series UV Frame with 6 LEDs -,UFO design,2 ball bearing,Smart UFO Fan (3 functions in 1),80 to 90mm fan adapter,Fan speed controller fits on PCI slot-Green	R 140.00
TT-A2218	UFO Series UV Frame with 6 LEDs -,UFO design,2 ball bearing,Smart UFO Fan (3 functions in 1),80 to 90mm fan adapter,Fan speed controller fits on PCI slot-BLUE	R 140.00
TT-A2219	UFO Series UV Frame with 6 LEDs -,UFO design,2 ball bearing,Smart UFO Fan (3 functions in 1),80 to 90mm fan adapter,Fan speed controller fits on PCI slot-SILVER	R 154.00
<b>Thermaltake Blue LED 80mm DC FanX4-Low speed fan at minimal noise level/Intelligent wire management -Best choice for clear case</b>		
TT-A2387	ThunderBlade DC 3LED Flash Fan -80mm x 80mm x25mm -2000RPM -RGB	R 70.00
TT-A1907	ThunderBlade DC 3LED Fan -80mm x 80mm x25mm -2000RPM -Red	R 63.00
TT-A1908	ThunderBlade DC 3LED Fan -80mm x 80mm x25mm -2000RPM	R 63.00
TT-A1909	ThunderBlade DC 3LED Fan -80mm x 80mm x25mm -2000RPM	R 63.00
TT-A1910	ThunderBlade DC 3LED Fan -80mm x 80mm x25mm -2000RPM	R 63.00
TT-A1911	ThunderBlade DC 3LED Fan -92mm x 92mm x25mm -2000RPM -Blue	R 77.00
TT-A1923	ThunderBlade DC 3LED Fan -92mm x 92mm x25mm -2000RPM -Red	R 77.00
TT-A1924	ThunderBlade DC 3LED Fan -92mm x 92mm x25mm -2000RPM -Green	R 77.00
TT-A1925	ThunderBlade DC 3LED Fan -92mm x 92mm x25mm -2000RPM -Red Green Blue	R 84.00
TT-A1926	ThunderBlade DC 3LED Fan -120mm x 120mm x25mm -2000RPM -Blue	R 91.00
TT-A1927	ThunderBlade DC 3LED Fan -120mm x 120mm x25mm -2000RPM -Red	R 91.00
TT-A1928	ThunderBlade DC 3LED Fan -120mm x 120mm x25mm -2000RPM -Green	R 91.00
TT-A1929	ThunderBlade DC 3LED Fan -120mm x 120mm x25mm -2000RPM -Red Green Blue	R 105.00
TT-A1971	ThunderBlade Multi-Color(7) DC LED Flash Fan -80mm x 80mm x25mm -2000RPM -7 Colors	R 84.00
TT-A1972	ThunderBlade Multi-Color(7) DC LED Flash Fan -92mm x 92mm x25mm -2000RPM -7 Colors	R 91.00
TT-A1973	ThunderBlade Multi-Color(7) DC LED Flash Fan -120mm x 120mm x25mm -2000RPM -7 Colors	R 105.00
<b>Ultra UV Fan Series - Great UV Reactivity, 80mm x 80mm x80mm - Blue - Recommend with Perfectlight D1721</b>		
TT-A2269	Ultra UV Fan Series - Great UV Reactivity, 80mm x 80mm x80mm - Blue - Recommend with Perfectlight D1721	R 49.00
TT-A2270	Ultra UV Fan Series - Great UV Reactivity, 80mm x 80mm x80mm - Green - Recommend with Perfectlight D1721	R 49.00
TT-A2271	Ultra UV Fan Series - Great UV Reactivity, 80mm x 80mm x80mm - Red - Recommend with Perfectlight D1721	R 49.00
TT-A2272	Ultra UV Fan Series - Great UV Reactivity, 90mm x 90mm x90mm - Blue - Recommend with Perfectlight D1721	R 63.00
TT-A2273	Ultra UV Fan Series - Great UV Reactivity, 90mm x 90mm x90mm - Green - Recommend with Perfectlight D1721	R 63.00
TT-A2274	Ultra UV Fan Series - Great UV Reactivity, 90mm x 90mm x90mm - Red - Recommend with Perfectlight D1721	R 63.00
TT-A2275	Ultra UV Fan Series - Great UV Reactivity, 120mm x 120mm x120mm - Blue - Recommend with Perfectlight D1721	R 77.00
TT-A2276	Ultra UV Fan Series - Great UV Reactivity,120mm x 120mm x120mm -Green-Recommend with Perfectlight D1721	R 77.00
TT-A2277	Ultra UV Fan Series - Great UV Reactivity,120mm x 120mm x120mm - Red -Recommend with Perfectlight D1721	R 77.00
<b>Smart LED for PC Case and CPU with Adjustable Switch- Blue 80mmx80mmx25mm</b>		
TT-A2016	Smart LED for PC Case and CPU with Adjustable Switch- Blue 80mmx80mmx25mm	R 119.00
TT-A2017	Smart LED for PC Case and CPU with Adjustable Switch- Blue 90mmx90mmx25mm	R 133.00
TT-A2018	Smart LED for PC Case and CPU with Adjustable Switch- Blue 120mmx120mmx25mm	R 147.00
<b>Case Fan</b>		
TT-A1097	Case DC FAN 60mm x 60mm x 25mm , 3 Lead Wire W/Fan Speed Signal output,3 to 4 Pin Adapter(Connect to PSU), UL CE approved!!!	R 56.00
TT-A1280	Case DC FAN 120mm x 120mm x 25mm , 3 Lead Wire W/Fan Speed Signal output,3 to 4 Pin Adapter(Connect to PSU), UL CE approved!!!	R 77.00
TT-A2367	80mm Highest Performance DC FAN-High air flow, low noise, 80 x 80 x 25 mm,2000 ± 10% RPM,27.8 CFM,21 dBA Connects directly to you	R 56.00
TT-A2368	120mm Highest Performance DC FAN-High air flow, low noise,120 x 120 x 25 mm,2000 ± 10% RPM,78.0 CFM,21 dBA Connects directly to you	R 77.00
TT-A2492	120mm TurboFan - 120 x 120 x 25 mm TurboFan, bullet-shaped fan hub, for improved air flow,Connects directly to Power Supply,Application for	R 91.00
TT-A2491	140mm TurboFan - 140 x 140 x 25 mm TurboFan, bullet-shaped fan hub, for improved air flow,Connects directly to Power Supply,Application for	R 133.00
<b>SmartCase Fan2 + 3 CoolMod+ 2 LED Light 80mm X80mm X 25mm</b>		
TT-A1506	SmartCase Fan2 + 3 CoolMod+ 2 LED Light 80mm X80mm X 25mm	R 119.00
TT-A1654	FireBall 3 Color LED (Red , Green , Blue ) Double side EL , 80mm x80mm x25mm (FA-T80F)	R 138.60
<b>Mobile Fan II + External USB Cooling Fan -80mm x 80mm x25mm</b>		
TT-A1888	Mobile Fan II + External USB Cooling Fan -80mm x 80mm x25mm	R 138.60
TT-A2019	Mobile Fan II + External USB Cooling Fan With E-LED -80mm x 80mm x25mm -Blue	R 138.60
TT-A2036	XJog USB Fan with White Led Light USB Fan - White	R 138.60
<b>FLARE Gaming Pad</b>		
TT-A2418	Thermaltake FLARE Series -FLARE BOARD- Optimized tactical keys:44 keys,including 6 thumb-specific keys/Detachable non-slip palm rest /Undercase lighting	R 278.60
<b>Tsunami KB+Mouse</b>		
TT-A2263	Tsunami Dream Series - Slim Multimedia USB Keyboard & Mouse Series - Make your dream machine come true!	R 278.60
<b>Xaser RF Wireless Office KB &amp; Mouse</b>		
TT-A2209	Xaser RF Wireless Office , Ultra sensitive Optical Mouse , 47 Hot Keys 12 Programmable Hot Keys Black + Red	R 418.60
TT-A2210	Xaser RF Wireless Office , Ultra sensitive Optical Mouse , 47 Hot Keys 12 Programmable Hot Keys Silver +Red	R 418.60
TT-A2211	Xaser RF Wireless Office , Ultra sensitive Optical Mouse , 47 Hot Keys 12 Programmable Hot Keys Blue + Silver	R 418.60
TT-A2212	Xaser RF Wireless Office , Ultra sensitive Optical Mouse , 47 Hot Keys 12 Programmable Hot Keys Red + Black	R 418.60
<b>Mouse Pad</b>		
TT-A2191	Xaser III Damier Mouse Pad - 255mm x220mm x3mm - Black	R 49.00
<b>SG PAD</b>		
TT-A1529	Aluminum 3rd Anniversary Mouse Pad - All Aluminum,Limited Edition - Black	R 49.00
TT-A2501	GREEN X Gaming Mouse Pad -High Quality Mesh Cloth Weave, Ultra Large Surface, Complimentary Carrying Bag -430x355x4mm	R 70.00
TT-A2384	Tai-Chi M2 Precision Aluminium Mouse Pad, Padded carry bag with zipper, 305 x 225x 5 mm	R 138.60
TT-A2417	Thermaltake FLARE Series -FLARE PAD- Large size (305 x 230 x 5mm)/No batteries required, plug into a USB port /Ergonomics Design-Gamer approved	R 273.00
<b>Combo Cool DIY Thermal Grease No1</b>		
TT-A2014	Combo Cool DIY Thermal Grease No1	R 35.00
TT-A2150	Combo Cool DIY Thermal Grease No2 -99.9% pure micronized silver	R 105.00
<b>TG-2 Thermal Grease, Superb Performance,Wide Temperature Resistance Range/Low Thermal Resistance,Low Electrical Conductivity,High Thermal Conductivity ,RoHS</b>		
CL-O0028	TG-2 Thermal Grease, Superb Performance,Wide Temperature Resistance Range/Low Thermal Resistance,Low Electrical Conductivity,High Thermal Conductivity ,RoHS	R 110.60
<b>TG-1 Extreme Thermal Grease, Superb Performance,Excellent Durability,Easily Apply to the surface,Absolute Stability,High Thermal Conductivity ,RoHS Compliance</b>		
CL-O0027	TG-1 Extreme Thermal Grease, Superb Performance,Excellent Durability,Easily Apply to the surface,Absolute Stability,High Thermal Conductivity ,RoHS Compliance	R 138.60
<b>Stylish Y cable -Y shaped Power cable--Recommend with PerfertLight TT-A1721</b>		
TT-A2167	Stylish Y cable -Y shaped Power cable--Recommend with PerfertLight TT-A1721	R 77.00
<b>Y shaped Power cable-Split one male 4-pin connectors into two,300mm length for full tower cases,Bright LED connector and beautiful UV mesh</b>		
TT-A2369	Y shaped Power cable-Split one male 4-pin connectors into two,300mm length for full tower cases,Bright LED connector and beautiful UV mesh	R 84.00
<b>Silent PurePower PSU Adaptor cable,12V 4pin to 8pin, +3.3V/+5V/+5V Stand by, 20pin to 24pin adaptor,Sleaving design .</b>		
TT-A2169	Silent PurePower PSU Adaptor cable,12V 4pin to 8pin, +3.3V/+5V/+5V Stand by, 20pin to 24pin adaptor,Sleaving design .	R 105.00
<b>PSU Adaptor cable, 20pin to 24pin adaptor,Intelligent Cable sleeving design,+3.3 Voltage / +5 Voltage / +5 Voltage stand by,for Sever M/B use</b>		
TT-A2370	PSU Adaptor cable, 20pin to 24pin adaptor,Intelligent Cable sleeving design,+3.3 Voltage / +5 Voltage / +5 Voltage stand by,for Sever M/B use	R 133.00
TT-A2371	Thermaltake Dual cold cathode flash light, low heat output,Includes an extra power splitter for easy installation - BLUE	R 133.00
TT-A2372	Thermaltake Dual cold cathode flash light, low heat output,Includes an extra power splitter for easy installation - UV	R 133.00
<b>X-BAG FOR Xaser III Cases 520mm x 205mm x 570mm</b>		
TT-A1700	X-BAG FOR Xaser III Cases 520mm x 205mm x 570mm	R 273.00
<b>X-BAG FOR Xaser III MIDI 440mm x 180mm x460mm</b>		
TT-A1877	X-BAG FOR Xaser III MIDI 440mm x 180mm x460mm	R 245.00
<b>Floppy Standard PVC Cable 450 mm - Blue</b>		
TT-A2058	Floppy Standard PVC Cable 450 mm - Blue	R 28.00
<b>Floppy Standard PVC Cable 450 mm - Black</b>		
TT-A2059	Floppy Standard PVC Cable 450 mm - Black	R 28.00
<b>Floppy Standard PVC Cable 450 mm - Purple</b>		
TT-A2060	Floppy Standard PVC Cable 450 mm - Purple	R 28.00
<b>Floppy Standard PVC Cable 450 mm - Apple Green</b>		
TT-A2061	Floppy Standard PVC Cable 450 mm - Apple Green	R 28.00
<b>Floppy Standard PVC Cable 600 mm - Purple</b>		
TT-A2065	Floppy Standard PVC Cable 600 mm - Purple	R 42.00
<b>Floppy UV Cable 450 mm -Blue</b>		
TT-A2082	Floppy UV Cable 450 mm -Blue	R 42.00
<b>Floppy UV Cable 450 mm -Black</b>		
TT-A2083	Floppy UV Cable 450 mm -Black	R 42.00
<b>Floppy UV Cable 450 mm -Green</b>		
TT-A2084	Floppy UV Cable 450 mm -Green	R 42.00

TT-A2086	Translucent Floppy UV Cable 450 mm - Orange	R	42.00
TT-A2087	Translucent Floppy UV Cable 450 mm - Clear!	R	42.00
TT-A2088	Translucent Floppy UV Cable 600 mm - Red	R	63.00
TT-A2089	Translucent Floppy UV Cable 600 mm - Blue	R	63.00
TT-A2090	Translucent Floppy UV Cable 600 mm - Black	R	63.00
TT-A2091	Translucent Floppy UV Cable 600 mm - Green	R	63.00
TT-A2092	Translucent Floppy UV Cable 600 mm -	R	63.00
TT-A2093	Translucent Floppy UV Cable 600 mm - Orange	R	63.00
TT-A2110	Translucent Floppy EL Cable 450 mm - Red	R	112.00
TT-A2111	Translucent Floppy EL Cable 450 mm - Blue	R	112.00
TT-A2112	Translucent Floppy EL Cable 450 mm - Green	R	112.00
TT-A2113	Translucent Floppy EL Cable 450 mm - White	R	112.00
TT-A2115	Translucent Floppy EL Cable 600 mm - Blue	R	133.00
TT-A2116	Translucent Floppy EL Cable 600 mm - Green	R	133.00
<b>Luminous Series</b>			
TT-A2122	Translucent ATA133 Luminous Cable 480 mm - Green	R	105.00
TT-A2123	Translucent ATA133 Luminous Cable 600 mm - Green	R	133.00
TT-A2124	Translucent Floppy Luminous Cable 450 mm - Green	R	70.00
<b>Standard Series</b>			
TT-A2052	White PVC ATA133 Standard PVC Cable 600 mm - Red	R	56.00
TT-A2053	White PVC ATA133 Standard PVC Cable 600 mm - Blue	R	56.00
TT-A2054	White PVC ATA133 Standard PVC Cable 600 mm - Black	R	56.00
TT-A2055	White PVC ATA133 Standard PVC Cable 600 mm - Purple	R	56.00
TT-A2067	White PVC ATA133 UV Cable 480 mm - Red	R	56.00
TT-A2068	White PVC ATA133 UV Cable 480 mm - Blue	R	56.00
TT-A2069	White PVC ATA133 UV Cable 480 mm - Black	R	56.00
TT-A2070	White PVC ATA133 UV Cable 480 mm - Green	R	56.00
TT-A2071	White PVC ATA133 UV Cable 480 mm -	R	56.00
TT-A2072	White PVC ATA133 UV Cable 480 mm - Orange	R	56.00
TT-A2073	White PVC ATA133 UV Cable 480 mm - Clear	R	56.00
TT-A2074	White PVC ATA133 UV Cable 600 mm - Red	R	70.00
TT-A2075	White PVC ATA133 UV Cable 600 mm - Blue	R	70.00
TT-A2076	White PVC ATA133 UV Cable 600 mm - Black	R	70.00
TT-A2079	White PVC ATA133 UV Cable 600 mm - Green	R	70.00
TT-A2077	White PVC ATA133 UV Cable 600 mm -	R	70.00
TT-A2078	White PVC ATA133 UV Cable 600 mm -	R	70.00
TT-A2079	White PVC ATA133 UV Cable 600 mm - Orange	R	70.00
TT-A2080	White PVC ATA133 UV Cable 600 mm - Clear	R	70.00
TT-A2102	White PVC ATA133 EL Cable 480 mm - Red	R	133.00
TT-A2103	White PVC ATA133 EL Cable 480 mm - Blue	R	133.00
TT-A2104	White PVC ATA133 EL Cable 480 mm - Green	R	133.00
TT-A2105	White PVC ATA133 EL Cable 480 mm - Clear	R	133.00
<b>Serial ATA Series</b>			
TT-A2096	White PVC Serial ATA UV Data Cable 500 mm UV - Blue(CA-IT550UL)	R	42.00
TT-A2098	White PVC Serial ATA UV Data Cable 500 mm UV - Green	R	42.00
TT-A2099	White PVC Serial ATA UV Data Cable 500 mm UV -	R	42.00
TT-A2100	White PVC Serial ATA UV Data Cable 500 mm UV - Orange (CA-IT550UO)	R	42.00
TT-A2101	White PVC Serial ATA UV Data Cable 500 mm UV - Clear	R	42.00
TT-A2118	White PVC Serial ATA EL Data Cable 500 mm UV - Red	R	112.00
TT-A2119	White PVC Serial ATA EL Data Cable 500 mm UV - Blue(CA-IT550EL)	R	112.00
TT-A2120	White PVC Serial ATA EL Data Cable 500 mm UV - Green (CA-IT550EG)	R	112.00
<b>Specialty Series</b>			
TT-A1359	Translucent Floppy 450 mm Round cable - Translucence (CA-ITF45C)	R	35.00
TT-A1427	Translucent ATA133/100/66 600mm Translucence (CA-IT60C)	R	63.00